

What is claimed is:

1. A process for producing a purified aqueous hydrogen peroxide solution comprising contacting an aqueous hydrogen peroxide solution containing metal ion
- 5 impurities
- firstly with a  $H^+$  type cation exchange resin,
- secondly with a carbonate ion ( $CO_3^{2-}$ ) type or bicarbonate ion ( $HCO_3^-$ ) type anion exchange resin, and
- thirdly with a  $H^+$  type cation exchange resin.
- 10
2. A process for producing a purified aqueous hydrogen peroxide solution comprising contacting an aqueous hydrogen peroxide solution containing metal ion
- impurities
- 15 firstly with a  $H^+$  type cation exchange resin,
- secondly with a fluoride ion ( $F^-$ ) type anion exchange resin,
- thirdly with a carbonate ion ( $CO_3^{2-}$ ) type or bicarbonate ion ( $HCO_3^-$ ) type anion exchange resin, and
- 20 fourthly with a  $H^+$  type cation exchange resin.
3. The process for producing a purified aqueous hydrogen peroxide solution as claimed in claim 1 or 2, wherein the aqueous hydrogen peroxide solution is

0955107-051401

contacted with an adsorption resin before contacted with the  $H^+$  type cation exchange resin.

4. The process for producing a purified aqueous  
5 hydrogen peroxide solution as claimed in any one of  
claims 1 to 3, wherein said  $H^+$  type cation exchange  
resin is regenerated by repeating a process, 2 or more  
times, in which the cation exchange resin is treated  
with a downward flowing inorganic acid aqueous solution  
10 and then washed with ultra-pure water.

5. The process for producing a purified aqueous  
hydrogen peroxide solution as claimed in any one of  
claims 1 to 4, wherein the carbonate ion ( $CO_3^{2-}$ ) type or  
15 bicarbonate ion ( $HCO_3^-$ ) type anion exchange resin is  
regenerated by repeating a process, 2 or more times, in  
which the anion exchange resin is treated with a sodium  
carbonate or sodium bicarbonate aqueous solution and  
then washed with ultra-pure water.

20

6. The process for producing a purified aqueous  
hydrogen peroxide solution as claimed in any one of  
claims 2 to 5, wherein the fluoride ion ( $F^-$ ) type anion  
exchange resin is regenerated by repeating a process, 2

or more times, in which the anion exchange resin is treated with at least one fluorine compound aqueous solution selected from the group consisting of sodium fluoride, potassium fluoride and ammonium fluoride and

5 then washed with ultra-pure water.

7. The process for producing a purified aqueous hydrogen peroxide solution as claimed in any one of claims 3 to 6, wherein the adsorption resin is

10 regenerated by treating with an alcohol aqueous solution as a regenerant and then washing with ultra-pure water.

8. The process for producing a purified aqueous

15 hydrogen peroxide solution as claimed in any one of claims 1 to 7, wherein the hydrogen peroxide concentration in the aqueous hydrogen peroxide solution is 40 to 70 % by weight.

20 9. The process for producing a purified aqueous hydrogen peroxide solution as claimed in any one of claims 1 to 8, wherein said purified aqueous hydrogen peroxide solution is obtained by filtrating a solid impurities contained in the aqueous hydrogen peroxide

09855107 051401

solution to which a flocculating agent has been preliminary added, by a fine filter.

10. The process for producing a purified aqueous  
5 hydrogen peroxide solution as claimed in claim 9,  
wherein said flocculating agent is at least one  
phosphorus based compound selected from the group  
consisting of phosphoric acid, polyphosphoric acid,  
acidic sodium pyrophosphate,  
10 aminotri(methylenephosphoric acid) and salt thereof,  
and ethylenediaminetetra(methylenephosphoric acid) and  
salt thereof.
11. The process for producing a purified aqueous  
15 hydrogen peroxide solution as claimed in claim 10,  
wherein said phosphorus based compound is added in an  
amount that the atomic ratio (Al/P) of the Al ion  
impurity contained in the aqueous hydrogen peroxide  
solution in terms of a metal atom Al to the phosphorus  
20 based compound in terms of a phosphorus atom is 0.045  
or less.
12. The process for producing a purified aqueous  
hydrogen peroxide solution as claimed in any one of

09855107 054401  
104450 2045860

claims 9 to 11, wherein the fine filter has an average pore size of 0.2  $\mu\text{m}$  or less.

0985107 054401  
"04750" 20759860